2018 CERTIFICATION MAY 13 AM 8: 35

Consumer Confidence Report (CCR)

17021	Public Water System Name
0	1.50001, 0.150002, 1.50004 + 0.150020 List PWS ID #s for all Community Water Systems included in this CCR
a Comust	Federal Safe Drinking Water Act (SDWA) requires each Community Public Water System (PWS) to develop and distribute insumer Confidence Report (CCR) to its customers each year. Depending on the population served by the PWS, this CCR be mailed or delivered to the customers, published in a newspaper of local circulation, or provided to the customers upon local circulation. You must email, fax (but not preferred) or local circulation local circulation local circulation.
	Customers were informed of availability of CCR by: (Attach copy of publication, water bill or other)
	☐ Advertisement in local paper (Attach copy of advertisement)
	□ On water bills (Attach copy of bill)
	☐ Email message (Email the message to the address below)
	□ Other
	Date(s) customers were informed: 5 / 8 /2019 5 / 8 /2019 6 / 1 /2019
	CCR was distributed by U.S. Postal Service or other direct delivery. Must specify other direct delivery methods used
	Date Mailed/Distributed://
	CCR was distributed by Email (Email MSDH a copy) Date Emailed: / / 2019
	□ As a URL(Provide Direct URL)
	☐ As an attachment
	☐ As text within the body of the email message
	CCR was published in local newspaper. (Attach copy of published CCR or proof of publication)
	Name of Newspaper: the Meteor & Copial Country Courier
	Date Published: 5/8/19
	CCR was posted in public places. (Attach list of locations) Date Posted: / /2019
	CCR was posted on a publicly accessible internet site at the following address:
CET.	(Provide Direct URL)
I her abov and	RTIFICATION reby certify that the CCR has been distributed to the customers of this public water system in the form and manner identified e and that I used distribution methods allowed by the SDWA. I further certify that the information included in this CCR is true correct and is consistent with the water quality monitoring data provided to the PWS officials by the Mississippi State Department ealth, Bureau of Public Water Supply
Nan	David Bone Managet De/Title (Board President, Mayor, Owner, Admin. Contact, etc.)
	Submission options (Select one method ONLY)
	Mail: (U.S. Postal Service) MSDH, Bureau of Public Water Supply P.O. Box 1700 Fax: (601) 576 - 7800 **Not a preferred method due to poor clarity**

CCR Deadline to MSDH & Customers by July 1, 2019!

2018 Annual Drinking Water Quality Report Copiah Water Association PWS ID#: 0150001, 0150002, 0150004 & 0150020 April 2019

We're pleased to present to you this year's Annual Quality Water Report. This report is designed to inform you about the quality water and services we deliver to you every day. Our constant goal is to provide you with a safe and dependable supply of drinking water. We want you to understand the efforts we make to continually improve the water treatment process and protect our water resources. We are committed to ensuring the quality of your water. Our water source is from wells drawing from the Catahoula Formation Aquifer. The Copiah Water Association also purchases water from the Town of Hazlehurst with wells drawing from the Catahoula Formation Aquifer.

If you have any questions about this report or concerning your water utility, please contact David Boone at 601.892.3738. We want our valued customers to be informed about their water utility. If you want to learn more, please attend any of our regularly scheduled meetings. They are held on the third Monday of each month at 7:00 PM at the Copiah Water Office.

The source water assessment has been completed for our public water system to determine the overall susceptibility of its drinking water supply to identify potential sources of contamination. A report containing detailed information on how the susceptibility determinations were made has been furnished to our public water system and is available for viewing upon request. The wells for the Copiah Water Association and the City of Hazlehurst have received lower to higher susceptibility rankings to contamination.

We routinely monitor for contaminants in your drinking water according to Federal and State laws. This table below lists all of the drinking water contaminants that were detected during the period of January 1st to December 31st, 2018. In cases where monitoring wasn't required in 2018, the table reflects the most recent results. As water travels over the surface of land or underground, it dissolves naturally occurring minerals and, in some cases, radioactive materials and can pick up substances or contaminants from the presence of animals or from human activity; microbial contaminants, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife; inorganic contaminants, such as salts and metals, which can be naturally occurring or result from urban storm-water runoff, industrial, or domestic wastewater discharges, oil and gas production, mining, or farming; pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm-water runoff, and residential uses; organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations and septic systems; radioactive contaminants, which can be regulations that limit the amount of certain contaminants in water provided by public water systems. All drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some constituents. It's important to remember that the presence of these constituents does not necessarily indicate that the water poses a health risk.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

Action Level - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Maximum Contaminant Level (MCL) - The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal (MCLG) - The "Goal"(MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum Residual Disinfectant Level (MRDL) – The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary to control microbial contaminants.

Parts per million (ppm) or Milligrams per liter (mg/l) - one part per million corresponds to one minute in two years or a single penny in \$10,000.

Parts per billion (ppb) or Micrograms per liter - one part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000,000.

PWS ID#	: 012000	J1		TEST RESULTS						
Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measure -ment	MCLG	MCL	Likely Source of Contamination		
Inorganic	Contai	minants 2018	.0017	.00130017	ppm	2	2	Discharge of drilling wastes; discharge from metal refineries; erosion of natura deposits		
13. Chromium	N	2018	1.2	No Range	ppb	100	100	Discharge from steel and pulp mills; erosion of natural deposits		
14. Copper	N	2016/18	.1	0	ppm	1.3	AL=1.3	Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives		
16. Fluoride	N	2018	.145	,115145	ppm	4	4	Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories		
17. Lead	N	2016/18	2	0	ppb	0	AL=15	Corrosion of household plumbing		

Disinfect	ion By	-Produc	ets					
Chlorine	N	2018	1.2	.6 – 1.4	Mg/I	0	MRDL = 4	Water additive used to control microbes

Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measure -ment	MCLG	MCL	Likely Source of Contamination
Inorgani	c Contai	ninants						
10. Barium	N	2018	.0081	No Range	ppm	2	2	Discharge of drilling wastes; discharge from metal refineries; erosion of natura deposits
14. Copper	N	2016/18	.1	0	ppm	1.3	AL=1.3	Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
17. Lead	N	2016/18	3	0	ppb	0	AL=15	Corrosion of household plumbing systems, erosion of natural deposits
Disinfect	ion By-I	Product	S					
81. HAA5	N	2018	4	No Range	ppb	0	60	By-Product of drinking water disinfection.
Chlorine	N	2018	1.1	.7 – 1.2	Mg/l	0	MRDL = 4	Water additive used to control microbes

Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measure -ment	MCLG	MCL	Likely Source of Contamination
Inorganic	Contai	ninants						
10. Barium	N	2018	.0172	No Range	ppm	2	2	Discharge of drilling wastes; discharge from metal refineries; erosion of natura deposits
14. Copper	N	2016/18	.6	0	ppm	1.3	AL=1.3	Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
17. Lead	N	2016/18	1	0	ppb	0	AL=15	Corrosion of household plumbing systems, erosion of natural deposits
19. Nitrate (as Nitrogen)	N	2018	1	No Range	ppm	10	10	Runoff from fertilizer use; leaching from septic tanks, sewage; erosion of natura deposits
Disinfecti	on By-F	Product	S					
Chlorine	N	2018	1.1	7-1.5	Mg/l	0	MRDL =	Water additive used to control microbes

Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measure -ment	MCLG	MCL	Likely Source of Contamination
-------------	------------------	-------------------	-------------------	---	--------------------------	------	-----	--------------------------------

8. Arsenic	N	2014*	.6	.56	ppb	n/a		Erosion of natural deposits; runoff from orchards; runoff from glass and electronics production wastes
10. Barium	N	2014*	.0213	.00450213	ppm	2		Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
13. Chromium	N	2014*	5.4	3.7 – 5.4	ppb	100		Discharge from steel and pulp mills; erosion of natural deposits
16. Fluoride	N	2014*	1.2	1.19 – 1.2	ppm	4		Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories
17. Lead	N	2013/15*	1	0	ppb	0		Corrosion of household plumbing systems, erosion of natural deposits
Disinfection	on By	-Product	S		V-			
82. TTHM [Total trihalomethanes]	N	2018	1.09	No Range	ppb	0	80	By-product of drinking water chlorination.
Chlorine	N	2018	.9	.5 – 1.3	Mg/l	0	MRDL = 4	Water additive used to control microbes

^{*} Most recent sample. No sample required for 2018.

We are required to monitor your drinking water for specific constituents on a monthly basis. Results of regular monitoring are an indicator of whether or not our drinking water meets health standards. In an effort to ensure systems complete all monitoring requirements, MSDH now notifies systems of any missing samples prior to the end of the compliance period.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Our water system is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead. The Mississippi State Department of Health Public Health Laboratory offers lead testing. Please contact 601.576.7582 if you wish to have your water tested.

For system # 150020 - To comply with the "Regulation Governing Fluoridation of Community Water Supplies", the Town of Hazlehurst is required to report certain results pertaining to fluoridation of our water system. The number of months in the previous calendar year in which average fluoride sample results were within the optimal range of 0.6-1.2 ppm was 3. The percentage of fluoride samples collected in the previous calendar year that was within the optimal range of 0.6-1.2 ppm was 30%.

All sources of drinking water are subject to potential contamination by substances that are naturally occurring or man made. These substances can be microbes, inorganic or organic chemicals and radioactive substances. All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1.800.426.4791.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline 1.800.426.4791.

The Copiah Water Association works around the clock to provide top quality water to every tap. We ask that all our customers help us protect our water sources, which are the heart of our community, our way of life and our children's future.

TT. FTEOR, INC.

2018 Annual Drinking Water Quality Report
Copiah Water Association
PWS ID#: 0150001, 0150002, 0150004 & 0150020
April 2019

We're pleased to present to you this year's Annual Quality Water Report. This report is designed to inform you about the quality water and services we deliver to you every day. Our constant goel is to provide you with a safe and dependable supply of drinking water. We want you to understand the efforts we make to continually improve the water treatment process and protect our water resources. We are committed to ensuring the quality of your water. Our water source is from wells drawing from the Catahouta Formation Aquifer. The Copiah Water Association also purchases water from the Town of Hazlehurst with wells drawing from the Catahouta Formation Aquifer.

If you have any questions about this report or concerning your water utility, please contact David Boone at 601.892.3738. We want our valued customers to be informed about their water utility. If you want to learn more, please attend any of our regularly scheduled meetings. They are held on the third Monday of each month at 7.00 PM at the Copiah Water Office.

The source water assessment has been completed for our public water system to determine the overall susceptibility of its diriking water supply to identify potential sources of contamination. A report containing detailed information on how the susceptibility determinations were made has been furnished to our public water system and its available for viewing upon request. The wells for the Copieh Water Association and the City of Hazletturst have received lower to higher susceptibility rankings to contamination.

We routinely monitor for contaminants in your drinking water according to Federal and State laws. This table below lists all of the drinking water contaminants that were defected during the period of January 1st to December 31st, 2018. In cases where monitoring wasn't required in 2016, the table reflects the most recent results. As water travels over the surface of land or underground, it dissolves naturally occurring minerals and, in some cases, ratioactive materials and can pick up substances or contaminants from the presence of animals or from human activity, microbial contaminants, such as viruses and bacteria, that may come from sewage treatment plants, septio systems, agricultural livestock operations, and wildlife; inorganic contaminants, such as saits and metals, which can be naturally occurring or result from urban storm-water runoff, industrial, or domestic wastewater discharges, oil and gas production, mining, or farming; pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm-water runoff, and reskiential uses; organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations and septic systems; radioactive contaminants, which can be naturally occurring or be the results of oil and gas production and mining activities. In order to ensure that lap water is aste to dinok, EPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems. All drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some constituents. It's important to remember that the presence of these constituents does not necessarily indicate that the water poses a health risk.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

Action Level - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Maximum Contaminant Level (MCL) - The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal (MCLG) - The "Goal"(MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum Residual Disinfectant Level (MRDL) — The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary to control microbial contaminants.

Parts per million (ppm) or Milligrams per liter (mg/l) - one part per million corresponds to one minute in two years or a single penny in \$10,000.

Parts per billion (ppb) or Micrograms per liter - one part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000,000.

Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCLIACL	Unit Measure -ment	MCLG	MCL	Likely Source of Contamination
Inorganie	Contar	ninants						
10, Barium	N	2018	.0017	.00130017	ppm	2	2	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
13. Chromlum	N	2018	1.2	No Range	ррь	100	100	Discharge from steel and pulp mills, erosion of natural deposits
14. Copper	N	2016/18	.1	0	ppm	1.3	AL=1.3	Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
18. Fluoride	N.	2018	.145	.115145	ppm	4		Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories
17. Lead	N	2016/18	2	0	ppb	0	AL=15	Corrosion of household plumbing systems, erosion of natural deposits

				TEST RESU			C-10 - 10 - 10 - 10 - 10 - 10 - 10 - 10	
Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Moasure -ment	MCLG	MCL	Likely Source of Contamination
Inorgani			en so			12072		
10. Barlum	N	2018	.0081	No,Range	ppm	2	2	Discharge of drilling wastes; discharge from metal refineries; erosion of nature deposits
14. Copper	N.	2016/18		0	ppm	1.3	AL=13	
			3	0	onh		A1 - 45	

systems, erosion of natural deposits

SHED 1881 Mississippi 39059 ppi, Copiah County

undersigned Notate, HENRY aid County and State, HENRY tal Springs Meteor, a newspape ississippi, who on oath says the ereto attached, was printed ive times in said paper as follows

	Cost
2019	\$ 453.38
	\$
	\$
	\$
	\$
<u> </u>	\$
Notary	\$_3.00
Total Cost	\$ 456.39
Carney	Publisher
	day of

ary Public D# 118241
NOTARY PUBLIC Comm. Expires
Nov. 1, 2020

	Violation	Dale	Level	Dames of Delacts	Unit	MCLG	MCL	Likely Source of Contamination
taminant	Y/N	Collected	Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Measure -ment	MCLG	MCL	Cikely Source of Curtamination
organic	Contai	minants						
Barlum	N	2018	.0172	No Range	ppm	2	2	Discharge of drilling wastes; discharge from metal refinerles; erosion of natura deposits
Copper	N	2016/18	.6	0	ppm	1.3	AL=1.3	Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
Lead	N	2016/18	1	0	ppb	0	AL=15	Corrosion of household plumbing systems, arosion of natural deposits
Nitrate (as ogen)	N	2018	1	No Range	ppm	10	10	Runoff from fertilizer use; leaching from septic tanks, sewage; erosion of natura deposits
isinfectio	n Bv-I	Products						
orine	N	2018	1.1	.7– 1.5	МдЛ	0	MRDL = 4	Water additive used to control microbes
WS ID#:	01500	20		TEST RESU	LTS			
nlaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measure -ment	MCLG	MCL	Likely Source of Contamination
nlaminant organic	Y/N	Collected	Detected	or # of Samples Exceeding	Measure	MCLG	MCL	Likely Source of Contamination
	Y/N	Collected	Detected	or # of Samples Exceeding	Measure	MCLG n/a	MCL 10	Erosion of natural deposits, runoff from orchards; runoff from glass and
organic	Conta	Collected	Detected	or # of Samples Exceeding MCL/ACL	Measure -ment			Erosion of natural deposits; runoff from orchards; runoff from glass and electronics production wastes Discharge of drilling wastes; discharge from melal refinerles; erosion of natura
organic	Conta	Collected minants	Detected	or # of Samples Exceeding MCL/ACL	Measure -ment	n/a	10	Erosion of natural deposits; runoff from orchards; runoff from glass and electronics production wastes Discharge of drilling wastes; discharge
organic Arsenic Barium	Contai	minants 2014*	.6 .0213	or # of Samples Exceeding MCL/ACL .56	Measure -ment	n/a	10	Erosion of natural deposits; runoff from orchards; runoff from glass and electronics production wastes. Discharge of drilling wastes; discharge from metal refinerles; erosion of natural deposits. Discharge from steel and pulp mills; erosion of natural deposits water additive which promotes strong teeth; discharge from ferfilizer and aluminum
organic Vesenic Barium Chromlum	Contai	Collected minants 2014* 2014*	.6 .0213 .5.4	or # of Samples Exceeding MCL/ACL	PPB PPB	n/a 2	10 2	Erosion of natural deposits; runoff from orchards; runoff from glass and electronics production wastes; discharge from metal refinerles; erosion of natural deposits Discharge from steel and pulp milts; erosion of natural deposits Erosion of natural deposits; water additive which promotes strong teeth;
organic Assenic Barium Chromlum Fluoride Lead	Contai	Collected minants 2014* 2014* 2014* 2014* 2014*	.6 .0213 5.4 1.2	or # of Samples Exceeding MCL/ACL .56 .00450213 3.7 - 5.4 1.19 - 1.2	Ppb Ppm Ppm	n/a 2 1000 4	10 2 100 4	Erosion of natural deposits; runoff from orchards; runoff from glass and electronics production wastes of policibing of drilling wastes; discharge from metal refinerles; erosion of natural deposits. Discharge from steel and pulp mills; erosion of natural deposits. Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories.
organic Arsenic Barlum Chromlum Fluoride	Contai	Collected minants 2014* 2014* 2014* 2014* 2014*	.6 .0213 5.4 1.2	or # of Samples Exceeding MCL/ACL .56 .00450213 3.7 - 5.4 1.19 - 1.2	Ppb Ppm Ppm	n/a 2 1000 4	10 2 100 4	Erosion of natural deposits; runoff from orchards; runoff from glass and electronics production wastes ploscharge of drilling wastes; discharge from metal refinerles; erosion of natural deposits positions of natural deposits erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories. Corrosion of household plumbing systems, erosion of natural deposits

TEST RESULTS

WS TD#- 0150004

re required to monitor your drinking water for specific constituents on a monthly basis. Results of regular monitoring are an indicator of whether or undrinking water meets health standards. In an effort to ensure systems complete all monitoring requirements, MSDH now notifies systems of any ing samples prior to the end of the compliance period.

sent, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is arily from materials and components associated with service lines and home plumbing. Our water system is responsible for providing high quality ing water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can rize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned a lead in your water, you may wish to have your water lested. Information on lead in drinking water, testing methods, and steps you can take to nize exposure is available from the Safe Drinking Water Hotilne or at http://www.epa.gov/safewater/lead. The Mississippi State Department of the Public Health Laboratory offers lead testing. Please contact 601.578.7582 if you wish to have your water tested.

system # 150020 - To comply with the "Regulation Governing Fluoridation of Community Water Supplies", the Town of Hazlehurst is required to it certain results pertaining to fluoridation of our water system. The number of months in the previous calendar year in which average fluoride let results were within the optimal range of 0.6-1.2 ppm was 3. The percentage of fluoride samples collected in the previous calendar year that was in the optimal range of 0.6-1.2 ppm was 30%.

courses of drinking water are subject to potential contamination by substances that are naturally occurring or man made. These substances can be obes, inorganic or organic chemicals and radioactive substances. All drinking water, including bottled water, may reasonably be expected to contain set small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More nation about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water ne at 1.800.426.4791.

e people may be more vulnerable to contaminants in drinking water than the general population, immuno-compromised persons such as persons cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some ty, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. CDC guidelines on appropriate means to lessen the risk of infection by cryptosportdium and other microbiological contaminants are available from lafe Drinking Water Hottine 1,800,426,4791.

Copiah Water Association works ground the clock to provide top qualify water to every tap. We ask that all our customers help us protect our water cas, which are the heart of our community, our way of life and our children's future.

Copiah County Courier

NEWSPAPER ADVERTISING – PRINTING – OFFICE SUPPLIES – GRAPHIC DESIGN
P. O. Drawer 351 • 103 S. Ragsdale Ave. • Hazlehurst, MS 39083 • 601-894-3141 • fax 601-894-3144

STATE OF MISSISSIPPI COUNTY OF COPIAH

Personally came to me, the undersigned, authority in and for COPIAH COUNTY, Missiasippi the CLERK of the COPIAH COUNTY COURIER, a newspaper published in the City of Hazlehurst, Copiah County, in said state, who, being duly sworn, deposes and says that the COPIAH COUNTY COURIER is a newspaper as defined and prescribed in Senate Bill No. 203 enacted in the regular session of the Mississippi Legislature of 1948, amended Section 1858, of the Mississippi Code of 1942, and that the publication of a notice, of which the annexed is a true copy appeared in the issues of said newspaper as follows:

	- 8
DATE: 5-8-19	1
DATE:	100
DATE:	
DATE:	- 15
Number of Words 58. J	
Publishedtimes	10
Printer's fee \$500.18	
Proof fee \$	
TOTAL \$503.18	
(Signed)	
(Clerk of the Copiah County Courier)	
SWORN TO and subscribed before me, this	斯
8 day of 1 1 acy 20 19	
Diamond	
A Notary Public in and for the County of Copiah, State of Miceles Ippi.	
OF MISSIS	
Tay Chus Oliver	
* D# 48234 X	I
NOTARY PUBLIC	国性
Co. Feb. 20, 2021	1
AHCOU	17
List New Medition (C)	D
	11

2018 Annual Drinking Water Quality Report Copiah Water Association PWS ID#: 0150001, 0150002, 0150004 & 0150020 April 2019 PWS 1D#: 0150001 TEST RESULTS Inorganic Contaminants 2018/18 AL-13 2018 Disinfection By-Products PWS ID#: 0150002 norganic Contaminants 2018 2016/18 isinfection By-Products TEST RESULTS Range of Dur or # of Samp Extreeding MCL/ACL 2016/18

May 8, 2019

INCOME AND THE GOT PARTY OF COUNTRIES OF MAKE AT ME THE OFF CONTRIES FROM

The State Orleans Avenue Avenue I Amortina for the man for the orleans by displacement and produced for the orleans of the order of the man of the man of the order of the ord

specific and interest care by executions are not present that the process of the

and not constitution should form the authorized between the left occurrence of incidentation of implies the term of control for incidentation of the control of implies the term of the incidentation of the control of implies the c

is grown in the read of the control of the control

The Liver Livers House of Section 1 and 1

AND A CONTRACT DATA TO A PROPER TO A CONTRACT OF A CONTRAC

Selective Contraction of the Con	N	SICE	6	61-2	ión	D	WEDC+	Millors of beau gwelche with
Meet T Z	N	and .	671	after 15 the	and	0		Cloringon
hashnish	on By	-Produc	5				10	Jessen Bureaup to Europead-Add
per	N	SURIOR	100	0	9:36	0	01-7V	Special sector of celebral deposits
apuerty	N	-4105	21	2174011	udd			familiand programmy to unsolver sequence to the program and adminis- surement paint and programmy and a page of the programmy and the prog
mylinism.		3014	¥E	95-15	·	DOL	THE RESERVE	appen in process at a process and a process
waite	н	39192	n.to	\$100 - \$100	usdd		Value	SCHOOL OF STREET GLOCKER OF CHANGE
yusus	N	301%		9/5	légi		100	mod from prisode is some to read bins said; mod forum prisode potent nabularin; soveritm

		LEVI)	S. S. S.			sinania	Contan	oinngaon!
			amacely amacely	HOT/VEE Extragud et a by pruches gradu at passes	Delinerad Christeand	and between	MA	Handahan
metamonino do sousos yest.	TON	MCEG		EST RESU		0	200510	#III SAM